SOLICITATIO		ACT/ORDE Complete Block				MS	1. Requisitio		er		Page	1 Of	23
2. Contract No.		3. Award/Eff	ective Date	<u> </u>	rder Number		5. Solicitatio	n Numb	er		6. Soli	citation Iss	sue Date
7. For Solicitation		A. Name					B. Telephone		er (No Co	ollect Calls) 8. Off	er Due Dat	e/Local Time
Information Call:		MICHAEL	W. KERR II		T		(586)574-				Д		
9. Issued By U.S. ARMY AMSTA-AQ-A WARREN, MI	DB		Code	156HZV	10. This Ac Small Bu Service-	ısiness		U	ll Busine		Set A: A)	ubzone Sm	% For all Business Standard:
HTTP://CON	TRACTING.	TACOM.ARMY.M	IL				FOB Destinati	on Unles	ss Block l	ls Marked	12. Disc	count Tern	ıs
					X See Sche	dule							
_					X 13a. Thi	s Cont	ract Is A Rate	d Order	Under I	DPAS (15 C	CFR 700)	13b. Ra	nting DOA4
e-mail: MICHAEL.	WILLIAM.K	ERR@US.ARMY.	MIL		14. Method			RF	Q	IFB		RFP	
15. Deliver To SEE SCHEDU	LE		Code		16. Administration DCMA SA 7675 DA SUITE 2	AN DII AGGET	EGO					Code	S0514A
					SAN DII	EGO	CA 92111-	-2241					
Telephone No.					SCD: B		PAS:	NONE					
17. Contractor/Off	eror Co	de 1P0H6	Facility		18a. Payme	nt Wil	l Be Made By					Code	HQ0339
MDF TECHNO: 364 SECOND		IC					MBUS CENTER F ENTITLEMEN	משמט יייה	ATT ONC				
STE 4					P.O. B0	X 18:	2381		ATTONS				
ENCINITAS,	CA 92024-	-3557			COLUMBI	JS, OI	H 43218-2381	L					
	760)753-2				101 0 1			G.	·				
17b. Check If R	Remittance I In Offer	s Different And	d Put Such		18b. Submi	_	ices To Addre Addendum	ss Showr	ı In Bloc	k 18a Unle	ss Block B	elow Is Ch	ecked
19.	III OHEI		20.				21.	22.		23.			24.
Item No.		Schedu	le Of Suppli	es/Servic	ees		Quantity	Unit		Unit Pric	e	Aı	mount
		SEE	SCHEDULE										
	(Use Re	verse and/or A	ttach Additi	onal She	ets As Necess:	arv)							
25. Accounting And		tion Data	AC6D 6D	onui one		13 W5	6477		26. To	tal Award \$3,876		or Govt. U	Jse Only)
				10 1 50								7	
× 27a.Solicitation × 27b.Contract/l	•	•								Addenda	X Are	=	t Attached.
X 28. Contractor	Is Require	d To Sign This	Document A	and Retu	ırn2		X 29. Av	vard Of	Contract	: Ref	v56HZV07Q	0708	Offer
Copies to Issuing Office. Contractor Agrees To Furnish And Deliv												, Including	
Forth Or Otherwise Identified Above And On Any Additional Sheeterms And Conditions Specified.				ets Subject To	The	Any Addition			vnich Are	Set Forth	nerein, Is	Accepted As	
30a. Signature Of C						31a.	United States			nature Of	Contractin	g Officer)	
						/SIG	NED/						
30b. Name And Tit	le Of Signer	(Type Or Prin	nt) 30c	. Date Si	gned		Name Of Cor		g Officer	(Type Or	Print)	31c. Date	Signed
							S E. NELSON S.E.NELSON@		.MIL (5	86)574-8	109	2007	JUL16
						•							

19. Item No.	Schedule Of Supplies/Services			Quantity Unit		Unit Price Amount			24. Amount
22 0 44 1 0 1	21 H D								
32a. Quantity In Colum	n 21 Has Been								
Received In	spected Accepted, And Confor	rms To The Contra	act, Ex	xcept As Noted	:				
32b. Signature Of Author	orized Government Representative	32c. Date		32d. Printed	Name and	l Title	of Author	rized Govern	ment Representative
22- M-11 Add 4	A-41	•		226 T-1	Nb .	C A -	-41	G	1 D
32e. Mailing Address of Authorized Government Representative									t Representative
				32g. E-Mail o	of Authori	ized Go	overnmei	nt Representa	ntive
33. Ship Number	34. Voucher Number	35. Amount Veri		36. Payment					37. Check Number
Partial Final	+	Correct For		Complet	_e	Partia	, [Final	
38. S/R Account No.	39. S/R Voucher Number	40. Paid By		complet	· <u> </u>	a al lià	<u> </u>		1
41a. I Certify This Acco	unt Is Correct And Proper For Paym	ent	42a	Received By (Print)				
41b. Signature And Titl	e Of Certifying Officer	41c. Date							
				. Received At (
			42c.	Date Rec'd (Y	Y/MM/D	D)	42d. To	tal Containe	rs
		1							

CONTINUATION SHEET Reference No. of Document Being Continued Page 2 of 23 PIIN/SIIN W56HZV-07-P-1196 MOD/AMD Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

SUPPLEMENTAL INFORMATION

Regulatory	y Cite	Titl	<u> </u>	 Date
52.201-400	00 TACOM-WARR	EN OMBUDSPERSON		JAN/2006

 $Information\ regarding\ the\ TACOM-Warren\ Ombudsperson\ is\ located\ at\ the\ website\ http://contracting.tacom.army.mil/acqinfo/ombudsperson.htm$

[End of Clause]

2 52.217-4911 NOTICE OF URGENT REQUIREMENT NOV/2001 (TACOM)

TACOM considers this requirement to be urgent. Timely performance and delivery are essential. Deliveries ahead of schedule are encouraged whenever they can be offered without additional cost to the Government. The Contractor is requested to immediately contact the buyer or contracting officer identified on the cover page of this document to notify them of any pending or potential problems and/or suggestions for contract streamlining that would enable faster deliveries.

[End of Provision]

Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1196 MOD/AMD

nunuea

Page 3 **of** 23

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 4930-01-536-0842 FSCM: 0PK87 PART NR: G3050 SECURITY CLASS: Unclassified				
0001AA	CLIN 0001AA	19	EA	\$ 204.00000	\$3,876.00
	NOUN: REEL,CABLE PRON: EH781234EH PRON AMD: 02 ACRN: AA AMS CD: 070021				
	Approved manufacturer's part:				
	Reelcraft Ind. (0PK87) G3050				
	(End of narrative B001)				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE 52.211-4517 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial ALL ITEMS PROCURED UNDER THIS SUB-CLIN SHALL BE PACKAGED AND MARKED IN ACCORDANCE WITH STANDARD COMMERCIAL PRACTICE AS DEFINED IN ASTM-D-3951-95. ASTM-D-3951-95 SPECIFIES THAT ALL EXTERIOR PACKS AND CONTAINERS SHALL BE LEGIBLY AND DURABLY MARKED IN ACCORDANCE WITH MIL-STD-129, AND THAT BAR CODE MARKINGS SHALL BE APPLIED IN ACCORDANCE WITH MIL-STD-129				
	(End of narrative D001)				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Inspection/Acceptance at origin means that you MUST contact the DCMC to arrange for a Government inspection BEFORE you ship the supplies called out in this order. Failure to have the items inspected and accepted will result in their rejection at the destination. The rejected supplies will be returned to you at your expense.				
	(End of narrative E001)				
	Deliveries or Performance DOC SUPPL				

Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1196 MOD/AMD

Page 4 of 23

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV70872438 W62G2T J 1 DEL REL CD QUANTITY DEL DATE 001 19 24-SEP-2007				
	FOB POINT: Destination				
	SHIP TO: (W62G2T) XU DEF DIST DEPOT SAN JOAQUIN 25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307 TRACY CA 95304-5000 CONTRACT/DELIVERY ORDER NUMBER W56HZV-07-P-1196/0000				

Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-P-1196 MOD/AMD

nued Page 5 of 23

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001AB	DISTRUBUTION DATA REPORT	1	EA	\$** NSP **	\$** NSP **
	Distribution Data Report, Pursuant to the requirements of TACOM clause 52.247-4458. The price for the Distribution Data Report in the amount of \$ is included in the total amount for Item 0001AA. NOTE: There is a payment withold associated				
	with nondelivery of this report, please see the tacom clause. (End of narrative C001)				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 3 DEL REL CD QUANTITY DEL DATE 001 1 24-SEP-2007				
	FOB POINT: Origin SHIP TO: (Y00009) SEE BELOW				
	CONTRACT/DELIVERY ORDER NUMBER W56HZV-07-P-1196/0000				

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1196

MOD/AMD

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

3 52.211-4072 TECHNICAL DATA PACKAGE INFORMATION (TACOM)

JAN/2005

Page 6 of 23

The following "X"d item applies to this solicitation:

- [X] There is no Technical Data Package (TDP) included with this solicitation.
- [] The TDP for this solicitation is on a CD ROM and must be ordered. Ordering instructions can be obtained at Uniform Resource locator (URL): http://contracting.tacom.army.mil/bidreq.htm
- [] This solicitation contains one, or, more Web located TDPs. If multiple Contract Line Item Numbers (CLINs) are listed, each one will have its own URL just under the CLIN listing. The URL will take you to that CLIN's Web located TDP. To access the TDP, you will have to copy or type the link's URL into your web browser address bar at the top of the screen.

Note: To copy a link from a .pdf file, click on the "Text Select Tool," then highlight the URL, copy and paste it into your browser, and hit the enter key.

CLIN: 0001AA

TDP Link (URL): N/A

[End of Clause]

52.211-4010 ACOUISITION OF SOURCE-CONTROLLED PART NUMBER (TACOM)

FEB/1998

Acquisition under this contract is restricted to:

- (1) The manufacturer's part number or numbers set forth in the Schedule or the Technical Data Package; and
- (2) Other manufacturer's part numbers that are physically, functionally, and mechanically interchangeable with the manufacturer's part number(s) listed in the Technical Data Package; provided (i) that these nonlisted part numbers have been furnished to one of the approved manufacturers listed in the Technical Data Package, which firm has then, without making any changes in the characteristics or properties of the part, redesignated that part with one of the approved part numbers; and (ii) that firms tendering a nonlisted part number as described in this paragraph (2) have executed the provision 52.211-4038 entitled REPRESENTATION OF INTENT TO SUPPLY A SOURCE-CONTROLLED ITEM herein.

[End of Clause]

5 52.211-4018 ACOUISITION OF MANUFACTURER'S PART NUMBER (TACOM)

MAY/1996

This acquisition is restricted to the item description set forth in the Schedule which specifies a manufacturer's part number. Since complete Government data for the item are not available, it is understood and agreed that references to specifications and drawings herein shall be deemed to include all changes or revisions thereto which the contractor has made effective as of the date of delivery of any of the items provided for in this contract; provided, that no such change or revision which affects the interchangeability of the item (ability to be interchanged with previous parts or to connect with all mating parts when assembled) shall be effected without the approval of the Procuring Contracting Officer. The contractor agrees that he will furnish to the Administrative Contracting Officer or Government Inspector, for the purpose of making inspection under any resulting contract, copies of the applicable specifications and drawings indicating all changes or revisions.

[End of Clause]

PACKAGING AND MARKING

6 52.211-4517 PACKAGING REQUIREMENTS (COMMERCIAL) (TACOM)

NOV/2005

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1196

MOD/AMD

Page 7 of 23

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

- (1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.
- (2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box. Unit packs shall be designed to conserve weight and cube while retaining the protection required and enhancing standardization.
 - (c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.
 - (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
 - (1) The quantity is over one (1) gross of the same national stock number,
 - (2) Use enhances handling and inventorying,
 - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
 - (4) The unit pack is less than 64 cubic inches,
 - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

- (1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
- (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(q) Marking:

(1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P(3), dated 29 Oct. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1196

MOD/AMD

Page 8 of 23

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. NOTE: Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause.

- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee."
- (4) Commercial software may be used to generate a Military Shipment Label / Issue Receipt Document (MSL/IRRD)including the required Code 39 and 2D (PDF417) bar codes. However, the commercial software must produce labels/documents which comply with the requirements of MIL-STD-129P. Contractors shall insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, and DODAAC. (Army developed software, for creating MSL/IRRD previously available to those with government contracts is no longer supported.)
 - (h) Hazardous Materials (As applicable):
- (1) Hazardous Materials is defined as a substance or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:
 - International Air Transport Association (IATA) Dangerous Goods Regulations
 - International Maritime Dangerous Goods Code (IMDG)
 - Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
 - Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).
- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.
- (j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.
 - (k) SUPPLEMENTAL INSTRUCTIONS: None

CONTINUATION SHEET	Reference No. of Document Be	Page 9 of 23	
CONTINUATION SHEET	PIIN/SIIN W56HZV-07-P-1196	MOD/AMD	
Name of Offeror or Contractor: MDF TECHNO	LOGIES, INC		

ame of Oneror of Contractor: MDF TECHNOLOGIES, INC

252.211-7006 RADIO FREQUENCY IDENTIFICATION (reflects DoD Class Deviation 2006- MAY/2006 00003)

Note: This clause requires contractors to affix passive (as defined in the clause) RFID tags at the case and palletized unit load level when shipping parts to the depots shown in paragraph b(1)(ii) below. "New Cumberland" is a part of Susquehanna. Shipements to New Cumberland require RFID tagging where the DoDAAC is either W25G1U or SW3124. Procurement Technical Assistance Centers (PTACs) http://www.dla.mil/db/procurem.htm can assist contractors with this RFID requirement. Check with one in your region.

(a) Definitions. As used in this clause

Advance shipment notice means an electronic notification used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment.

Bulk commodities means the following commodities, when shipped in rail tank cars, tanker trucks, trailers, other bulk wheeled conveyances, or pipelines:

- (1) Sand.
- (2) Gravel.
- (3) Bulk liquids (water, chemicals, or petroleum products).
- (4) Ready-mix concrete or similar construction materials.
- (5) Coal or combustibles such as firewood.
- (6) Agricultural products such as seeds, grains, or animal feed.

Case means either a MIL-STD-129 defined exterior container within a palletized unit load or a MIL-STD-129 defined individual shipping container.

Electronic Product Code\'99 (EPC) means an identification scheme for universally identifying physical objects via RFID tags and other means. The standardized EPC data consists of an EPC (or EPC identifier) that uniquely identifies an individual object, as well as an optional filter value when judged to be necessary to enable effective and efficient reading of the EPC tags. In addition to this standardized data, certain classes of EPC tags will allow user-defined data. The EPC tag data standards will define the length and position of this data, without defining its content.

EPCglobal\'99 means a joint venture between EAN International and the Uniform Code Council to establish and support the EPC network as the global standard for immediate, automatic, and accurate identification of any item in the supply chain of any company, in any industry, anywhere in the world.

Exterior container means a MIL-STD-129 defined container, bundle, or assembly that is sufficient by reason of material, design, and construction to protect unit packs and intermediate containers and their contents during shipment and storage. It can be a unit pack or a container with a combination of unit packs or intermediate containers. An exterior container may or may not be used as a shipping container.

Palletized unit load means a MIL-STD-129 defined quantity of items, packed or unpacked, arranged on a pallet in a specified manner and secured, strapped, or fastened on the pallet so that the whole palletized load is handled as a single unit. A palletized or skidded load is not considered to be a shipping container. A loaded 463L System pallet is not considered to be a palletized unit load. Refer to the Defense Transportation Regulation, DoD 4500.9-R, Part II, Chapter 203, for marking of 463L System pallets.

Passive RFID tag means a tag that reflects energy from the reader/interrogator or that receives and temporarily stores a small amount of energy from the reader/interrogator signal in order to generate the tag response.

- (1) Until February 27, 2007, the acceptable tags are
 - (i) EPC Class 0 passive RFID tags that meet the EPCglobal Class 0 specification; and
- (ii) EPC Class 1 passive RFID tags that meet the EPCglobal Class 1 specification. This includes both the Generation 1 and Generation 2 Class 1 specifications.
- (2) Beginning March 1, 2007, the only acceptable tags are EPC Class 1 passive RFID tags that meet the EPCglobal Class 1 Generation 2 specification. Class 0 and Class 1 Generation 1 tags will no longer be accepted after February 28, 2007.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1196

MOD/AMD

Page 10 of 23

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

Radio Frequency Identification (RFID) means an automatic identification and data capture technology comprising one or more reader/interrogators and one or more radio frequency transponders in which data transfer is achieved by means of suitably modulated inductive or radiating electromagnetic carriers.

Shipping container means a MIL-STD-129 defined exterior container that meets carrier regulations and is of sufficient strength, by reason of material, design, and construction, to be shipped safely without further packing (e.g., wooden boxes or crates, fiber and metal drums, and corrugated and solid fiberboard boxes).

(b)

- (1) Except as provided in paragraph (b)(2) of this clause, the Contractor shall affix passive RFID tags, at the case and palletized unit load packaging levels, for shipments of items that
- (i) Are in any of the following classes of supply, as defined in DoD 4140.1-R, DoD Supply Chain Materiel Management Regulation, AP1.1.11:
 - (A) Subclass of Class I Packaged operational rations.
 - (B) Class II Clothing, individual equipment, tentage, organizational tool kits, hand tools, and administrative and housekeeping supplies and equipment.
 - (C) Class IIIP Packaged petroleum, lubricants, oils, preservatives, chemicals, and additives.
 - (D) Class IV Construction and barrier materials.
 - (E) Class VI Personal demand items (non-military sales items).
 - (F) Subclass of Class VIII Medical materials (excluding pharmaceuticals, biologicals, and reagents).
 - (G) Class IX Repair parts and components including kits, assemblies and subassemblies, reparable and consumable items required for maintenance support of all equipment, excluding medical-peculiar repair parts; and
 - (ii) Are being shipped to any of the following locations:
 - (A) Defense Distribution Depot, Susquehanna, PA: DoDAAC W25G1U or SW3124.
 - (B) Defense Distribution Depot, San Joaquin, CA: DoDAAC W62G2T or SW3224.
 - (C) Defense Distribution Depot, Albany, GA: DoDAAC SW3121.
 - (D) Defense Distribution Depot, Anniston, AL: DoDAAC W31G1Z or SW3120.
 - (E) Defense Distribution Depot, Barstow, CA: DoDAAC SW3215.
 - (F) Defense Distribution Depot, Cherry Point, NC: DoDAAC SW3113.
 - (G) Defense Distribution Depot, Columbus, OH: DoDAAC SW0700.
 - (H) Defense Distribution Depot, Corpus Christi, TX: DoDAAC W45H08 or SW3222.
 - (I) Defense Distribution Depot, Hill, UT: DoDAAC SW3210.
 - (J) Defense Distribution Depot, Jacksonville, FL: DoDAAC SW3122.
 - (K) Defense Distribution Depot, Oklahoma City, OK: DoDAAC SW3211.
 - (L) Defense Distribution Depot, Norfolk, VA: DoDAAC SW3117.
 - (M) Defense Distribution Depot, Puget Sound, WA: DoDAAC SW3216.
 - (N) Defense Distribution Depot, Red River, TX: DoDAAC W45G19 or SW3227.
 - (O) Defense Distribution Depot, Richmond, VA: DoDAAC SW0400.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1196

MOD/AMD

Page 11 of 23

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

- (P) Defense Distribution Depot, San Diego, CA: DoDAAC SW3218.
- (Q) Defense Distribution Depot, Tobyhanna, PA: DoDAAC W25GlW or SW3114.
- (R) Defense Distribution Depot, Warner Robins, GA: DoDAAC SW3119.
- (S) Air Mobility Command Terminal, Charleston Air Force Base, Charleston, SC: Air Terminal Identifier Code CHS.
- (T) Air Mobility Command Terminal, Naval Air Station, Norfolk, VA: Air Terminal Identifier Code NGU.
- (U) Air Mobility Command Terminal, Travis Air Force Base, Fairfield, CA: Air Terminal Identifier Code SUU.
- (2) Bulk commodities are excluded from the requirements of paragraph (b)(1) of this clause.
- (c) The Contractor shall ensure that
- (1) The data encoded on each passive RFID tag are unique (i.e., the binary number is never repeated on any and all contracts) and conforms to the requirements in paragraph (d) of this clause;
 - (2) Each passive tag is readable; and
- (3) The passive tag is affixed at the appropriate location on the specific level of packaging, in accordance with MIL-STD-129 (Section 4.9.2) tag placement specifications.
- (d) Data syntax and standards. The Contractor shall encode an approved RFID tag using the instructions provided in the most recent EPC\'99 Tag Data Standards document, available at http://www.epcglobalinc.org/standards_technology/specifications.html.
- (1) If the Contractor is an EPCglobal\'99 subscriber and possesses a unique EPC\'99 company prefix, the Contractor may use any of the identity types and encoding instructions described in the most recent EPC\'99 Tag Data Standards document to encode tags.
- (2) If the Contractor chooses to employ the DoD Identity Type, the Contractor shall use its previously assigned Commercial and Government Entity (CAGE) Code and shall encode the tags in accordance with the tag identity type details located at http://www.acq.osd.mil/log/rfid/tag_data.htm. If the Contractor uses a third party packaging house to encode its tags, the CAGE code of the third party packaging house is acceptable.
- (3) Regardless of the selected encoding scheme, the Contractor is responsible for ensuring that each tag contains a globally unique identifier.
- (e) Receiving report. The Contractor shall electronically submit advance shipment notice(s) with the RFID tag identification (specified in paragraph (d) of this clause) in advance of the shipment in accordance with the procedures at http://www.acq.osd.mil/log/rfid/advance_shipment_ntc.htm.

[End of Clause]

8 52.247-4458 DISTRIBUTION DATA REPORT (TACOM)

JUL/2006

- (a) The contractor is required to complete the Distribution Data shown in this clause before first shipment for each deliverable item. This information is used by the Government for estimating shipment costs, storage planning and transport security.
- (b) The Distribution Data Report shall be emailed to Packaging@tacom.army.mil, with a copy to the ACO and Buyer identified on the front page of this contract. Distribution Data shall be provided at the time of the first shipment of each deliverable item. Upon submittal of the Distribution Data, the contractor shall submit a Materiel Inspection and Receiving Report (MIRR (DD 250)). Acceptance by the ACO of a MIRR (DD 250) is required for final payment. Until Distribution Data is accepted, one thousand dollars (\$1000), or 10% of the final payment, whichever is less, may be withheld.
- (c) Definitions of technical terms used in the packaging and distribution are defined in ASTM D996. Provide the sizes in inches and fractions of an inch rounded to the nearest 1/8 inch. Provide weights in pounds. Record weights only to the nearest 1/10 pound. A digital photo attached to the e-mail is optional.
 - (d) This form is also available at http://contracting.tacom.army.mil/acqinfo/contractorforms.htm

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1196

MOD/AMD

Page 12 of 23

be

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

DISTRIBUTION DATA REPORT

containers on one (1) pallet. (Provide a size and weight for each unitized load below.)

unitized load consists of a single shipping container.

DISTRIBUTION DATA for Contract Number:
1. ITEM
a. ITEM DESCRIPTION
National Stock Number (NSN): Part Number & FSCM /CAGE:
Provide the contract, NSN, and the part Number & FSCM /CAGE shown in Section B.
(Digital photos attached to the e-mail are optional.)
b. ITEM SIZE (UNPACKAGED): Length x Width x Depth
Provide the overall dimensions of the item. Provide the size as configured for shipment; i.e. coiled size, folded size, or retracted
size. For kits and items of separate parts, provide size as nested and oriented for shipment within the unit package. This size may be
the inside size of the unit package.
c. ITEM WEIGHT (UNPACKAGED):
Provide the weight of the unpackaged item.
2. UNIT PACKAGE
a. UNIT PACKAGE DESCRIPTION:
Describe any preservatives applied and the unit package. Examples:
(1) The unit package consists of the item, wrap, desiccant, and bag with marking.
(2) The unit package consists of the item, internal and external preservative, wrap, blocking and box with marking.
(3) The unit package consists of the item, wrap (impregnated with a volatile corrosion inhibitor), cushioning, bag and box with marking.
(4) The unit package consists of the item, fastened to a skid base with marking.
b. UNIT PACKAGE SIZE: Length x Width x Depth
Provide the exterior dimensions of the unit package.
c. UNIT PACKAGE WEIGHT:
Provide the weight including the item and unit packaging.
3. SHIPPING CONTAINER
a. SHIPPING CONTAINER DESCRIPTION:
Describe the shipping container. Indicate the number of unit packages in the shipping container.) Examples:
(1) The shipping container is a box. Each shipping container contains 100 unit packages.
(2) The shipping containers are two (2) different boxes. The large shipping containers contain eight (8) unit packages and the
small shipping container contains two (2) unit packages. (Provide a size and weight for each shipping container.)
(3) The shipping container is the unit package box. One shipping container contains 1 (one) item.
(4) The shipping containers are unit package box 1 of 2 and unit package box 2 of 2. The two (2) partial unit package boxes
container contain 1 (one) item, a kit. (This example applies to large kits only. Provide a size and weight for each shipping
container.)
b. SHIPPING CONTAINER SIZE: Length x Width x Depth
Provide the exterior dimensions of the shipping container.
c. Shipping Container weight:
Provide the shipping container weight including the unit packs, dunnage, intermediate and exterior packing.
4. UNITIZED LOAD
a. UNITIZED LOAD-DESCRIPTION:
Describe the unitized load. Indicate the number of shipping containers in the unitized load. Examples:
(1) The unitized load consists of shipping containers, stacked and unitized onto a pallet or platform base for handling and
transport. Each unitized load consists of 12 shipping containers on one (1) pallet.
(2) The unitized load consists of shipping containers, stacked and unitized onto a pallet or platform base for handling and
transport. Three (3) unitized loads consist of 16 shipping containers on one (1) pallet. One (1) unitized load consists of 4 shipping

(3) The unitized load consists of a shipping container with skids, rubbing strips, or other base for handling and transport. Each

(4) The unitized load consists of a shipping container only, without pallet, skid, or platform base for handling and transport.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1196

MOD/AMD

Page 13 of 23

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC	<u> </u>
(This example applies only to small shipping containers where no pallet / handling base	is required for handling and transport.)
b. UNITIZED LOAD-SIZE: Length x Width x Depth Provide the exterior dimensions of each unitized load assembled for handling and transpo	rt.
c. UNITIZED LOAD-WEIGHT: Provide the weight of each unitized load including the shipping container / containers, p	pallet, dunnage, unitizing wraps and strapping.
5. SPECIAL NOTES:	
Indicate if: - The item requires regulatory license or special security provisions for transport. - The item is considered dangerous goods for transport as specified in CFR 49. - The item requires electrostatic sensitive marking or magnetic marking. - Item shelf life remaining is less than one (1) year. (Shelf life is the total period of cure, or assembly that an item may remain in combined wholesale and retail storage, and sinclude food, medicines, batteries, paints, sealants, adhesives, film, tires, chemicals, rings, and Nuclear/Biological/Chemical equipment and clothing.)	still remain usable. Typical shelf-life items
[End of Clause]	
INSPECTION AND ACCEPTANCE	
9 52.246-15 CERTIFICATE OF CONFORMANCE	APR/1984
(a) When authorized in writing by the cognizant Contract Administration Office (CA) of Conformance any supplies for which the contract would otherwise require inspection at right to inspect supplies under the inspection provisions of this contract be prejudiced under this contract until use of the Certificate of Conformance has been authorized in wand acceptance have occurred.	source. In no case shall the Government's . Shipments of such supplies will not be made
(b) The Contractor's signed certificate shall be attached to or included on the top distributed to the payment office or attached to the CAO copy when contract administration the Defense Contract Administration Services. In addition, a copy of the signed certification of the inspection or receiving report accompanying the shipment.	on (Block 10 of the DD Form 250) is performed by
(c) The Government has the right to reject defective supplies or services within a notification to the Contractor. The Contractor shall in such event promptly replace, co- services at the Contractor's expense.	
(d) The certificate shall read as follows:	
I certify that on <u>(date)</u> , the <u>(insert Contractor's name)</u> furnished the supnumber via <u>(Carrier)</u> on <u>(Identify the bill of lading or shipping</u> applicable requirements. I further certify that the supplies or services are of the question requirements, and physical item identification (part number), and are in the quantity acceptance document.	g document) in accordance with all uantity specified and conform in all ion, packaging, packing, marking
Date of Execution:	
Signature:	
Title:	
[End of Clause]	
10 52.246-4028 INSPECTION AND ACCEPTANCE POINTS: ORIGIN	NOV/2005

52.246-4048

(TACOM)

will be returned to the Contractor.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1196

MOD/AMD

Page 14 of 23

FEB/2007

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

Offeror must specify below the exact name, address, and CAGE of the facility where supplies to be furnished under this contract/purchase order will be available for inspection/acceptance.

DRAWINGS FOR INSPECTION

The Contractor shall make available to the Government Inspector, at the time of production inspection, legible drawings and printed specifications to which the product was manufactured. These drawings and specifications shall be annotated as to the latest revision incorporated therein. Upon completion of product inspection and acceptance by the Government Inspector, all drawings and specifications

If the contractor is not the actual manufacturer of the item being procured (i.e dealer, distributor, etc.), and is unable to provide the drawings, a Certificate of Conformance (COC) as outlined in FAR 52.246-15 is acceptable in lieu of the drawings/specifications. The COC must specify both the drawing and specification revision designations (e.g., Revision C) of the items being provided.

[End of Clause]

DELIVERIES OR PERFORMANCE

11

17	52.242-4022 (TACOM)	DELIVERY SCHEDULE	SEP/2006
16	52.247-48	F.O.B. DESTINATIONEVIDENCE OF SHIPMENT	FEB/1999
15	52.247-34	F.O.B. DESTINATION	NOV/1991
14	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
13	52.242-15	STOP-WORK ORDER	AUG/1989
12	52.211-17	DELIVERY OF EXCESS QUANTITIES	SEP/1989

(a) Offers that propose delivery that will not clearly fall within the applicable required delivery schedule specified below MAY BE CONSIDERED NONRESPONSIVE AND NOT ELIGIBLE FOR AWARD. If you believe that the delivery schedule or quantity is unrealistic, contact the buyer listed on the cover sheet of this solicitation at least 14 days prior to solicitation closing date.

(b) DEFINITIONS:

- (1) DAYS means the number of days after the date of contract award when you must deliver the stated quantity (QTY) of supplies.
 - (2) DELIVERY is defined as follows:

FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual contract; or

FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual contract. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the contract, to ensure that the item reaches its destination by the time reflected in the contract.

CONTINUATION SHEET Reference No. of Document Being Continued Page 15 of 23 PIN/SIN W56HZV-07-P-1196 MOD/AMD Name of Offeror or Contractor: MDF TECHNOLOGIES, INC (c) The Government requires delivery to be made according to the following schedule: (1) GOVERNMENT REQUIRED DELIVERY SCHEDULE WITH FIRST ARTICLE TEST (FAT)

ITEM NO. QTY WITHIN DAYS AFTER DATE OF CONTRACT AWARD

N/A N/A N/A

0001AB

(2) GOVERNMENT REQUIRED DELIVERY SCHEDULE IF THERE IS NO FIRST ARTICLE TEST (FAT), OR IF FAT IS WAIVED

ITEM NO. QTY WITHIN DAYS AFTER DATE OF CONTRACT AWARD 0001AA 19 70

- (d) If the offeror does not propose an accelerated delivery schedule, the required delivery schedule above will apply. If you wish to propose an accelerated delivery schedule at no additional cost, fill in the appropriate information here:
 - (1) OFFERORS PROPOSED ACCELERATED DELIVERY SCHEDULE WITH FIRST ARTICLE TEST (FAT)

70

ITEM NO. QTY WITHIN DAYS AFTER DATE OF CONTRACT AWARD

(2) OFFERORS PROPOSED ACCELERATED DELIVERY SCHEDULE WITHOUT FIRST ARTICLE TEST (FAT), or IF FAT IS WAIVED

O001AA 19 55 0001AB 1 55

(e) You can accelerate delivery after contract award at no additional cost to the government.

[End of Clause]

18 52.211-16 VARIATION IN QUANTITY

APR/1984

- (a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.
 - (b) The permissible variation shall be limited to:

ZERO percent increase; and ZERO percent decrease.

(c) This increase or decrease shall apply to THE TOTAL CONTRACTUAL QUANTITY.

[End of Clause]

19 52.247-4009 DELIVERY OF SUPPLIES FROM FOREIGN FIRMS TO U.S. PORT OF ENTRY AUG/2003 (TACOM)

This clause applies only to foreign firms when shipments are required to destinations within the Continental United States (CONUS).

CONTINUATION SHEET	Reference No. of Document Be	Page 16 of 23	
CONTINUATION SHEET	PIIN/SIIN W56HZV-07-P-1196	MOD/AMD	

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

- (1) The F.O.B. point for this acquisition is DESTINATION. You must arrange and pay for (i) transportation to the U.S. port of entry, (ii) port handling, (iii) customs clearance, and (iv) all transportation from the port of entry to the consignee(s) listed in this solicitation.
 - (2) Acceptance will be at destination if the awardee is an OCONUS (Outside Continental United States) foreign firm.
- (3) Identification of shipment. The Contractor must insure that all shipments be clearly marked in accordance with MIL-STD-129 and other marking requirements specified in the Schedule. The Duty-Free Entry clauses in this contract contain instructions on the documentation required to accompany the shipment for duty-free entry.
- (4) Notification of Shipment. The Contractor shall send electronic notification to the Procuring Contracting Officer (PCO) when shipment is made, which includes the following information:
- (i) Mode of transportation, carrier, bill of lading number, customs broker (if any), and estimated time of arrival of materiel at OCONUS port authority
- (ii) Mode of transportation, carrier, bill of lading number, and estimated dates for pick-up from CONUS port authority and delivery to final destination.
- (5) You assume all responsibility for risk of loss or damage to the supplies until received at the destination. See the clause entitled RESPONSIBILITY FOR SUPPLIES (FAR 52.246-16).

[End of Clause]

20	52.247-	4017 DEPOT ADDRESS	FOR THE APPLICABLE MODE OF	SHIPMENTS: IN-THE-CLEAR MAY/2004
	(TACOM)	ADDRESSES		
Rail/	MILSTRIP			
Motor	Address	Rail	Motor	Parcel Post
SPLC*	Code	Ship To:	Ship To:	Mail To:
206721/	W25G1U	Transportation Officer	Transportation Officer	Transportation Officer
209405		Defense Dist Depot	Defense Dist Depot	Defense Dist Depot
		Susquehanna	Susquehanna	Susquehanna
		New Cumberland, PA	New Cumberland, PA	New Cumberland, PA 17070-5001

NOTE: All deliveries to New Cumberland MUST be scheduled at least 10 days prior to the delivery date. The carrier or contractor must call the New Cumberland DDSP customer service number, 800-307-8496 and provide the following information: contract number, item name, National Stock Number, total weight and cube, and vendor. All shipments to this MILSTRIP address code (W25G1U) are for mission stock and they will need to know that as well, but if you have instructions from the Contracting Officer to use MILSTRIP address code W25N14 instead, you must inform the appointment-taker that the delivery is for Consolidation and Containerization Point (CCP) stock. Appointments for FOB Origin shipments should be coordinated with DCMA Transportation.

875670/ 875675	W62G2T	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer Dist Depot San Joaquin P O Box 96001 Stockton, CA 95296-0130
471995/ 471996	W31G1Z	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Anniston, AL 36201-5021
209741/ 209770	W25G1R	Transportation Officer Letterkenny Army Depot, Culbertson, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA 17201-4150
661136/ 661157	W45G19	Transportation Officer Red River Army Depot, Defense, TX	Transportation Officer Red River Army Depot, Texarkana, TX	Transportation Officer Red River Army Depot, Texarkana, TX 75507-5000

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1196

MOD/AMD

Page 17 of 23

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

764538/ 764535

W67G23

Transportation Officer Transportation Officer Tooele Army Depot,

Warner, UT

Tooele Army Depot, Tooele, UT

Transportation Officer Tooele Army Depot, Tooele, UT 84074-5003

***SPLC indicates Standard Point Locator Code.

NOTE: The following is applicable only when so specified in an individual order or delivery increment:

This requirement is a depot replenishment buy, a portion of which is or may be required to fill Direct Support System (DSS) requisitions. Shipment shall be made, as specified, to one or more of:

New Cumberland Army Depot Red River Army Depot Sharpe Army Depot

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority shipments will be made equally to each of the designated destinations.

		Referenc	e No.	of Document B	eing Continue	d		Page 18 of 23
	CONTINUATION SHEET	PIIN/SIIN W5	PIIN/SIIN W56HZV-07-P-1196		MOD/AMD			
Name	of Offeror or Contractor: MDF TECH	NOLOGIES, INC						
ONTRAC	CT ADMINISTRATION DATA							
	PRON/				JOB			
INE	AMS CD/ OBLG				ORDER	ACCOUNTI	NG	OBLIGATED
EM_	MIPR ACRN STAT ACCOUNT	ING CLASSIFICATION			NUMBER	STATION		AMOUNT
01AA	EH781234EH AA 2 97 X4	1930AC6D 6D	26FB	S20113		W56HZV	\$	3,876.00
						TOTAL	\$	3,876.00
RVICI	2				ACCOU	NTING		OBLIGATED
ME	TOTAL BY ACRN ACCOUNT	ING CLASSIFICATION			<u>STATI</u>	ON		AMOUNT
cmy	AA 97 X4	1930AC6D 6D	26FB	S20113	W56HZ	V	\$ _	3,876.00
						TOTAL	\$	3,876.00

97 0X0X4930AC6D S20113 76D00000700210000026FB S20113

252.204-7006 BILLING INSTRUCTIONS OCT/2005 21

When submitting a request for payment, the Contractor shall--

(a) Identify the contract line item(s) on the payment request that reasonably reflect contract work performance; and

(b) Separately identify a payment amount for each contract line item included in the payment request.

[End of Clause]

52.204-4011 PAYMENT INSTRUCTIONS FOR THE DEFENSE FINANCE AND ACCOUNTING SERVICE (DFAS)

In accordance with DFARS PGI 204.7108, the contract shall be paid in accordance with DFARS PGI 204.7108(d)(5), line item specific by cancellation date.

CONTINUATION SHEET	Reference No. of Document Bei	Page 19 of 23				
CONTINUATION SHEET	PHN/SHN W56HZV-07-P-1196	MOD/AMD				
Name of Offeror or Contractor: MDF TECHNOLOGIES, INC						
SPECIAL CONTRACT REQUIREMENTS						

Name of Of	Name of Offeror or Contractor: MDF TECHNOLOGIES, INC						
SPECIAL CONTRACT REQUIREMENTS							
23	252.204-7000	DISCLOSURE OF INFORMATION	DEC/1991				
24	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	APR/2003				
25	252.225-7033	WAIVER OF UNITED KINGDOM LEVIES	APR/2003				
26	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003				
27	52.204-4005	REQUIRED USE OF ELECTRONIC CONTRACTING	SEP/2004				

- (a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website http://farsite.hill.af.mil/
- (b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: http://www.ccr.gov/ . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)
- (c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awd.htm Rock Island: https://aais.ria.army.mil/AAIS/AWDINFO/index.htm Picatinny: http://procnet.pica.army.mil/dbi/DynCBD/award.cfm

 ${\tt Red \ River \ Army \ Depot: \ http://www.redriver.army.mil/contractingframes/RecentAwards.DPD.cfm}$

Anniston Army Depot: http://www.anadprocnet.army.mil/

- (d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.
- (1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".
- (2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at http://www.acq.osd.mil/dpap/ebiz/VANs.htm . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.
- (e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Please go to the following webpage for detailed information about submitting your offer electronically: http://contracting.tacom.army.mil/ebidnotice.htm
 - (f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

[End of Clause]

28 52.246-4026 LOCAL ADDRESSES FOR DD FORM 250 AND WAWF RECEIVING REPORTS SEP/2006 (TACOM)

- (a) The Contractor may use either the Material Inspection and Receiving Report (DD 250) or Wide Area Workflow (WAWF) to process receiving reports for inspection, acceptance, and payment. Use only one method per contract; not both.
- (b) If you are using the Material Inspection and Receiving Report (DD 250), use one of the following methods to send each DD 250 pertaining to this contract to us:
 - (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address: DD250@tacom.army.mil
 - (2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:
 - (586) 574-7788 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

CONTINU	ATION	CITETE
	AIII	SHELL

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-P-1196

MOD/AMD

Page 20 of 23

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract. These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F. The DD250 form may be found, in three different formats, on the World Wide Web at http://www.dtic.mil/whs/directives/infomgt/forms/forminfo/forminfopage2126.html

(c) If you are using Wide Area Workflow (WAWF) instead of DD 250s, we may require copies of the WAWF Receiving Report, Bills of Lading, or other documentation to resolve delinquencies, payment issues, or other administrative issues. If this documentation is requested, use the same email address or fax number shown in paragraph (b) above to submit the information. No copies of the WAWF Receiving Report are required unless specifically requested by the PCO, buyer, or other appropriate government official.

[End of Clause]

CONTRACT CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: http://farsite.hill.af.mil/

29	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
30	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
31	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES	FEB/1997
32	52.223-3	HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA	JAN/1997
33	52.225-14	INCONSISTENCY BETWEEN ENGLISH VERSION AND TRANSLATION OF CONTRACT	FEB/2000
34	52.227-1	AUTHORIZATION AND CONSENT	JUL/1995
35	52.229-6	TAXESFOREIGN FIXED-PRICE CONTRACTS	JAN/1991
36	52.232-11	EXTRAS	APR/1984
37	52.248-1	VALUE ENGINEERING	FEB/2000
38	52.253-1	COMPUTER GENERATED FORMS	JAN/1991
39	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
40	252.225-7031	SECONDARY ARAB BOYCOTT OF ISRAEL	JUN/2005
41	252.225-7041	CORRESPONDENCE IN ENGLISH	JUN/1997
42	252.225-7042	AUTHORIZATION TO PERFORM	APR/2003
43	252.232-7010	LEVIES ON CONTRACT PAYMENTS	SEP/2005
44	252.243-7001	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
4.5	F2 222 7	NOWING OF PARTOACHTUR MARRETING	TAN /1007
45	52.223-7	NOTICE OF RADIOACTIVE MATERIALS	JAN/1997

- (a) The Contractor shall notify the Contracting Officer or designee, in writing 60 days prior to the delivery of, or prior to completion of any servicing required by this contract of, items containing either (1) radioactive material requiring specific licensing under the regulations issued pursuant to the Atomic Energy Act of 1954, as amended, as set forth in Title 10 of the Code of Federal Regulations, in effect on the date of this contract, or (2) other radioactive material not requiring specific licensing in which the specific activity is greater than 0.002 microcuries per gram or the activity per item equals or exceeds 0.01 microcuries. Such notice shall specify the part or parts of the items which contain radioactive materials, a description of the materials, the name and activity of the isotope, the manufacturer of the materials, and any other information known to the Contractor which will put users of the items on notice as to the hazards involved (OMB No. 9000-0107).
- (b) If there has been no change affecting the quantity of activity, or the characteristics and composition of the radioactive material from deliveries under this contract or prior contracts the Contractor may request that the Contracting Officer or designee waive the notice requirement in paragraph (a) of this clause. Any such request shall-
 - (1) Be submitted in writing;
 - (2) State that the quantity of activity, characteristics, and composition of the radioactive material have not changed; and
- (3) Cite the contract number on which the prior notification was submitted and the contracting office to which it was submitted.

CONTINUATION SHEET

Reference No. of Document Being Continued
Page 21 of 23

PIIN/SIIN W56HZV-07-P-1196 MOD/AMD

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

- (c) All items, parts, or subassemblies which contain radioactive materials in which the specific activity is greater than 0.002 microcuries per gram or activity per item equals or exceeds 0.01 microcuries, and all containers in which such items, parts or subassemblies are delivered to the Government shall be clearly marked and labeled as required by the latest revision of MIL-STD 129 in effect on the date of the contract.
- (d) This clause, including this paragraph (d), shall be inserted in all subcontracts for radioactive materials meeting the criteria in paragraph (a) of this clause.

[End of Clause]

46 52.223-11 OZONE-DEPLETING SUBSTANCES MAY/2001

- (a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Evironnmental Protection Agency designates in 40 CFR part 82 as--
 - (1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or
 - (2) Class II, including but not limited to, hydrochlorofluorocarbons.
- (b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j(b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

WARNING: Contains (or manufactured with, if applicable) ______ * _____, a substance(s which harm(s) public health and environment by destroying ozone in the upper atmosphere.

*The Contractor shall insert the name of the substance(s).

[End of Clause]

47 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES

- APR/1984
- (a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.
- (b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS) (48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

[End of Clause]

48 252.223-7001 HAZARD WARNING LABELS

DEC/1991

- (a) <u>Hazardous material</u>, as used in this clause, is defined in the Hazardous Material Identification and Material Safety Data clause of this contract.
- (b) The Contractor shall label the item package (unit container) of any hazardous material to be delivered under this contract in accordance with the Hazard Communication Standard (29 CFR 1910.1200 et seq). The Standard requires that the hazard warning label conform to the requirements of the standard unless the material is otherwise subject to the labelling requirements of one of the following statutes:
 - (1) Federal Insecticide, Fungicide and Rodenticide Act;
 - (2) Federal Food, Drug and Cosmetics Act;
 - (3) Consumer Product Safety Act;
 - (4) Federal Hazardous Substances Act; or
 - (5) Federal Alcohol Administration Act.
- (c) The Offeror shall list which hazardous material listed in the Hazardous Material Identification and Material Safety Data clause of this contract will be labelled in accordance with one of the Acts in paragraphs (b)(1) through (5) of this clause instead of

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 22 of 23
CONTINUATION SHEET	PIIN/SIIN W56HZV-07-P-1196 MOD/AMD	

Name of Offeror or Contractor: MDF TECHNOLOGIES, INC

the Hazard Communication Standard. Any hazardous material not listed will be interpreted to mean that a label is required in accordance with the Hazard Communication Standard.

MATERIAL (If None, Insert None.)	<u>ACT</u>

- (d) The apparently successful Offeror agrees to submit, before award, a copy of the hazard warning label for all hazardous materials not listed in paragraph (c) of this clause. The Offeror shall submit the label with the Material Safety Data Sheet being furnished under the Hazardous Material Identification and Material Safety Data clause of this contract.
- (e) The Contractor shall also comply with MIL-STD-129, Marking for Shipment and Storage (including revisions adopted during the term of this contract).

[End of Clause]

- 49 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION MAR/2005 (TACOM)
- (a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the website: http://contracting.tacom.army.mil/ebidnotice.htm
- (b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.
- (c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).
- (d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.
- (e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

CONTINUATION SHEET		Reference No. of Document Being Continued			Page 23 of 23					
		PIIN/SIIN W56HZV-07-P-1196	MOD/AMD							
Name of Offeror	Name of Offeror or Contractor: MDF TECHNOLOGIES, INC									
LIST OF ATTACHMEN	ITS									
List of				Number						
Addenda		Title	Date	of Pages	Transmitted By					
Attachment 0001	MDF TECHNOLOGIES QUOTE		16-MAY-2007							